



ENGINEERED FOR DURABILITY

ArmaFlex Shield CX

The preferred insulation for outdoor applications.

- // Tough skin resistant to elements such as UV and humidity
- // Enable energy savings through protection against thermal losses
- // Innate barrier against water ingress

www.armacell.com.vn



 **armacell**[®]
MAKING A DIFFERENCE AROUND THE WORLD

TECHNICAL DATA - ARMAFLEX SHIELD CX

Brief description Designed for outdoor applications, ArmaFlex Shield CX is an insulation material with a tough skin that is durable against elements such as UV and humidity.

Property	Value / Assessment	Standard / Test method
Temperature range		
Service temperature	Min. °C	Max. °C
	-50	105
Thermal conductivity		
Declared thermal conductivity	θ_m	0°C
	$\lambda d \leq [W/(m \cdot K)]$	0.034
	Remarks	Same as ArmaFlex Class 1
Fire Performance and Approvals		
Burning behaviour of building materials and products	Flame retardant class B1 (foam material performance)	GB 8624
Resistance to water vapour		
Water vapour diffusion resistance factor	$\mu \geq 10000$	GB/T 17794
Other technical features		
Ageing stability	No obvious aging phenomenon in the accelerated test of 400 hours under xenon lamp.	GB/T 16422

Adhesives and Cleaners

Item	Description	Content [quantity]
AS-AD520HL	12 cans of 500ml ArmaFlex 520 adhesive in a carton	12 tin

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute nor is part of a legal offer to sell or to contract.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our Data Protection Policy.

Trademarks followed by © or ™ are trademarks of the Armacell Group. © Armacell, 2023 All rights reserved.

ArmaFlex | ArmaFlex Shield CX | Brochure | 052024 | en-VN

ABOUT ARMACELL

As the inventor of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With more than 3,300 employees and 25 production plants in 19 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for acoustic and lightweight applications, recycled PET products, next-generation aerogel technology and passive fire protection systems.

For more information, please visit:
www.armacell.com


MAKING A DIFFERENCE AROUND THE WORLD