





INSTALL IT. TRUST IT.

ArmaFlex XG

The versatile solution for professionals

- // Full range for easy application on all pipe and duct sizes
- // Effective reduction of thermal losses
- // System security with ArmaFix and ArmaFlex adhesives
- // Available as lap-seal and top-seal solutions

www.armacell.eu



 **armacell**[®]
ArmaFlex[®]

TECHNICAL DATA - ARMAFLEX XG

Brief description	Highly flexible, closed-cell insulation material with high water vapour diffusion resistance and low thermal conductivity.
Material type	Factory-made flexible elastomeric foam (FEF), according to EN 14304.
Additional material information	Self-adhesive coating: pressure-sensitive adhesive coating on modified acrylate basis with mesh structure. Covered with polyethylene foil. Traces of silicone may be present on the paper/foil protecting self-adhesive closures.
Product colour range	Black
Applications	Insulation/protection of pipes, air ducts, vessels (including elbows, fittings, flanges, etc.) of air-conditioning, refrigeration and process equipment to prevent condensation and save energy as well as insulation of pipes in sanitary and heating applications.
Installation	Certified and compatible adhesive for a long-term performing system is ArmaFlex 520.

Property	Value / Assessment		Standard / Test method
Temperature range			
Service temperature	Min. °C ¹	Max. °C	EN 14706, EN 14707, EN 14304
	-50	110	
	Remarks	+85 °C if sheet or tape is glued to the object with its whole surface +85 °C for tapes	
Thermal conductivity			
Declared thermal conductivity	Øm	0 °C	EN ISO 13787, EN 12667, EN ISO 8497
	$\lambda_d \leq [W/(m \cdot K)]$	0.035	
	Range	Tubes (6 - 19 mm) , sheets (6 - 25 mm), tapes	
	Formula	$\lambda_d = [35 + 0,1 \cdot \varnothing m + 0,0008 \cdot \varnothing m^2]/1000$	
Declared thermal conductivity	Øm	0 °C	EN ISO 13787, EN 12667, EN ISO 8497
	$\lambda_d \leq [W/(m \cdot K)]$	0.036	
	Range	Tubes (25 - 40 mm) and sheets (32 -40 mm)	
	Formula	$\lambda_d = [36 + 0,1 \cdot \varnothing m + 0,0008 \cdot \varnothing m^2]/1000$	
Fire Performance and Approvals			
Reaction to fire	tubes: B(L)-s3, d0 sheets: B-s3,d0 tapes: B-s3, d0		EN 13501-1, EN ISO 11925-2, EN 13823
Fire performance			
Practical fire behaviour	Self-extinguishing, does not drip, does not spread flames		
Physical attributes			
Dimensions and tolerances	in accordance with EN 14304, table 1		EN 822, EN 823, EN 13467
Weather and UV resistance			
UV resistance ²	Protection against UV radiation is necessary (see Technical Bulletin no. 142).		
Health and environment			
Volatile organic compounds (VOC) content	Fulfills all VOC requirements (French, Italian, Belgian, German AgBB, Blauer Engel and Eurofins Indoor Air Comfort GOLD).		ISO 16000 Parts 3, 6 & 9
Green building assessment	Meets the sustainable construction requirements for LEED v4.1, BREEAM international and DGNB.		
Additional features	SCCP, MCCP-free		
Other technical features			
Shelf life	Self-adhesive tapes, self-adhesive sheets, self-adhesive tubes: 1 year		

Property	Value / Assessment	Standard / Test method
Storage	Can be stored in dry, clean rooms at normal relative humidity (50% to 70%) and ambient temperature (0 °C – 35 °C).	

¹For use in temperatures beyond the maximum and minimum service temperature range indicated in the technical data table, please contact our Customer Service Centre.

²If ArmaFlex is used outdoors or in applications under UV radiation, it should be protected with ArmaFinish Paint, or a covering such as Arma-Chek within 3 days of installation.

Tube – standard. Length 2,0 m, Color black

6 mm				9 mm				13 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
6	XG-06X006	7612207345704	496 m	6	XG-09X006	7612207345896	352 m	6	XG-13X006	7612207346497	200 m
8	XG-06X008	7612207345728	432 m	8	XG-09X008	7612207345919	300 m	10	XG-13X010	7612207397734	172 m
10	XG-06X010	7612207345742	380 m	10	XG-09X010	7612207345933	266 m	12	XG-13X012	7612207397741	162 m
12	XG-06X012	7612207345766	330 m	12	XG-09X012	7612207397673	234 m	15	XG-13X015	7612207397819	122 lft
15	XG-06X015	7612207345780	280 m	15	XG-09X015	7612207345995	200 m	18	XG-13X018	7612207397710	104 m
18	XG-06X018	7612207345803	210 m	18	XG-09X018	7612207397772	166 m	20	XG-13X020	7612207346671	104 lft
22	XG-06X022	7612207345827	170 m	20	XG-09X020	7612207346077	140 m	22	XG-13X022	7612207346688	100 m
25	XG-06X025	7612207350890	116 m	22	XG-09X022	7612207346091	140 m	25	XG-13X025	7612207346725	88 m
28	XG-06X028	7612207345841	112 m	25	XG-09X025	7612207346138	108 m	28	XG-13X028	7612207346732	82 m
35	XG-06X035	7612207345865	92 m	28	XG-09X028	7612207346152	98 m	30	XG-13X030	7612207346770	72 m
-	-	-	-	30	XG-09X030	7612207346190	92 m	32	XG-13X032	7612207346787	64 m
-	-	-	-	32	XG-09X032	7612207346206	80 m	35	XG-13X035	7612207346794	60 m
-	-	-	-	35	XG-09X035	7612207397871	76 lft	40	XG-13X040	7612207350951	50 m
-	-	-	-	40	XG-09X040	7612207346244	66 m	42	XG-13X042	7612207346824	50 m
-	-	-	-	42	XG-09X042	7612207346251	64 m	48	XG-13X048	7612207346855	42 m
-	-	-	-	48	XG-09X048	7612207346282	54 m	50	XG-13X050	7612207350968	38 m
-	-	-	-	50	XG-09X050	7612207350906	46 m	54	XG-13X054	7612207346886	38 m
-	-	-	-	54	XG-09X054	7612207346312	52 m	60	XG-13X060	7612207346916	32 m
-	-	-	-	60	XG-09X060	7612207346343	48 m	64	XG-13X064	7612207346947	30 m
-	-	-	-	64	XG-09X064	7612207346374	44 m	70	XG-13X070	7612207346954	28 m
-	-	-	-	70	XG-09X070	7612207346381	32 m	76	XG-13X076	7612207346961	28 m
-	-	-	-	76	XG-09X076	7612207346398	32 m	80	XG-13X080	7612207346992	20 m
-	-	-	-	89	XG-09X089	7612207346404	28 m	89	XG-13X089	7612207347005	20 m
-	-	-	-	102	XG-09X102	7612207346411	26 m	102	XG-13X102	7612207347036	20 m
-	-	-	-	108	XG-09X108	7612207346428	26 m	108	XG-13X108	7612207347043	20 m
-	-	-	-	110	XG-09X110	7612207350913	24 m	114	XG-13X114	7612207347050	20 m
-	-	-	-	114	XG-09X114	7612207346435	24 m	125	XG-13X125	7612207347067	18 m

Tube – standard. Length 2,0 m, Color black

6 mm				9 mm				13 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
-	-	-	-	125	XG-09X125	7612207346442	14 m	133	XG-13X133	7612207347074	16 m
-	-	-	-	140	XG-09X140	7612207346459	14 m	140	XG-13X140	7612207347081	12 m
-	-	-	-	160	XG-09X160	7612207346466	10 m	160	XG-13X160	7612207347098	12 m
-	-	-	-	-	-	-	-	168	XG-13X168	7612207349078	12 m

Tube – standard. Length 2,0 m, Color black

19 mm				25 mm				30 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
6	XG-19X006	7612207351019	100 m	10	XG-25X010	7612207351125	60 m	42	XG-30X042	7612207388169	22 m
10	XG-19X010	7612207347180	92 m	12	XG-25X012	7612207351132	54 m	48	XG-30X048	7612207388176	18 m
12	XG-19X012	7612207347197	84 m	15	XG-25X015	7612207347715	48 m	54	XG-30X054	7612207386646	16 m
15	XG-19X015	7612207347210	72 lft	18	XG-25X018	7612207347722	40 m	60	XG-30X060	7612207388145	12 m
18	XG-19X018	7612207347234	60 m	20	XG-25X020	7612207347746	38 m	64	XG-30X064	7612207386783	12 m
20	XG-19X020	7612207347265	58 m	22	XG-25X022	7612207347753	40 m	76	XG-30X076	7612207386790	10 m
22	XG-19X022	7612207347289	56 m	25	XG-25X025	7612207347777	34 m	89	XG-30X089	7612207386684	10 m
25	XG-19X025	7612207347319	50 m	28	XG-25X028	7612207347784	36 m	-	-	-	-
28	XG-19X028	7612207347333	48 m	30	XG-25X030	7612207347807	30 m	-	-	-	-
32	XG-19X032	7612207351040	36 m	32	XG-25X032	7612207347821	28 m	-	-	-	-
35	XG-19X035	7612207347371	36 m	35	XG-25X035	7612207347838	24 m	-	-	-	-
40	XG-19X040	7612207351057	32 m	42	XG-25X042	7612207347869	24 m	-	-	-	-
42	XG-19X042	7612207347401	32 m	48	XG-25X048	7612207347883	20 m	-	-	-	-
48	XG-19X048	7612207347432	28 m	54	XG-25X054	7612207347906	18 m	-	-	-	-
50	XG-19X050	7612207351071	24 m	60	XG-25X060	7612207347913	18 m	-	-	-	-
54	XG-19X054	7612207347463	24 m	64	XG-25X064	7612207347944	16 m	-	-	-	-
60	XG-19X060	7612207347494	24 m	76	XG-25X076	7612207347951	12 m	-	-	-	-
64	XG-19X064	7612207347524	20 m	89	XG-25X089	7612207347975	12 m	-	-	-	-
70	XG-19X070	7612207347531	18 m	102	XG-25X102	7612207351231	8 m	-	-	-	-

Tube – standard. Length 2,0 m, Color black

19 mm				25 mm				30 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
76	XG-19X076	7612207347548	18 m	108	XG-25X108	7612207347999	8 m	-	-	-	-
80	XG-19X080	7612207347579	16 m	114	XG-25X114	7612207348002	10 m	-	-	-	-
89	XG-19X089	7612207347586	16 m	140	XG-25X140	7612207348019	4 m	-	-	-	-
102	XG-19X102	7612207347616	16 m	-	-	-	-	-	-	-	-
108	XG-19X108	7612207347623	16 m	-	-	-	-	-	-	-	-
110	XG-19X110	7612207351095	14 m	-	-	-	-	-	-	-	-
114	XG-19X114	7612207347630	14 m	-	-	-	-	-	-	-	-
125	XG-19X125	7612207347647	10 m	-	-	-	-	-	-	-	-
133	XG-19X133	7612207347654	10 m	-	-	-	-	-	-	-	-
140	XG-19X140	7612207347661	10 m	-	-	-	-	-	-	-	-
160	XG-19X160	7612207347678	10 m	-	-	-	-	-	-	-	-
168	XG-19X168	7612207347685	8 m	-	-	-	-	-	-	-	-

Tube – standard. Length 2,0 m, Color black

32 mm				40 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
15	XG-32X015	7612207351262	32 m	28	XG-40X028	7612207348316	18 m
18	XG-32X018	7612207348064	32 m	35	XG-40X035	7612207348323	16 m
20	XG-32X020	7612207351279	24 m	42	XG-40X042	7612207348330	12 m
22	XG-32X022	7612207348071	24 m	48	XG-40X048	7612207348347	12 m
25	XG-32X025	7612207351286	24 m	54	XG-40X054	7612207348354	10 m
28	XG-32X028	7612207348088	24 m	60	XG-40X060	7612207348361	10 m
32	XG-32X032	7612207351309	18 m	64	XG-40X064	7612207351392	10 m
35	XG-32X035	7612207348095	18 m	76	XG-40X076	7612207348378	8 m
40	XG-32X040	7612207351316	18 m	89	XG-40X089	7612207348385	6 m
42	XG-32X042	7612207348118	18 m	102	XG-40X102	7612207348392	4 m
48	XG-32X048	7612207348132	18 m	108	XG-40X108	7612207348408	4 m
50	XG-32X050	7612207351323	12 lft	114	XG-40X114-I	7612207351415	6 m
54	XG-32X054	7612207348156	12 m	125	XG-40X125-I	7612207389098	4 m
60	XG-32X060	7612207348170	10 m	140	XG-40X140-I	7612207351439	4 m
64	XG-32X064	7612207348194	10 m	160	XG-40X160-I	7612207351446	4 m
70	XG-32X070	7612207348200	10 m	168	XG-40X168-I	7612207351453	4 m
76	XG-32X076	7612207348217	10 m	-	-	-	-
80	XG-32X080	7612207351347	10 m	-	-	-	-

Tube – standard. Length 2,0 m, Color black

32 mm				40 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
89	XG-32X089	7612207348224	10 m	-	-	-	-
102	XG-32X102	7612207348231	6 m	-	-	-	-
108	XG-32X108	7612207348248	6 m	-	-	-	-
114	XG-32X114	7612207348255	8 m	-	-	-	-
125	XG-32X125	7612207351354	6 m	-	-	-	-
133	XG-32X133	7612207351361	6 m	-	-	-	-
140	XG-32X140	7612207348262	6 m	-	-	-	-
160	XG-32X160	7612207348279	4 m	-	-	-	-

Tube – self-seal. Length 2,0 m, Color black

9 mm				13 mm				19 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
12	XG-09X012-A	7612207397680	234 m	12	XG-13X012-A	7612207397703	162 m	15	XG-19X015-A	7612207351026	72 m
15	XG-09X015-A	7612207346015	200 m	15	XG-13X015-A	7612207397833	122 m	18	XG-19X018-A	7612207347241	60 m
18	XG-09X018-A	7612207397864	166 m	18	XG-13X018-A	7612207397857	104 m	22	XG-19X022-A	7612207347296	56 m
22	XG-09X022-A	7612207346114	140 m	22	XG-13X022-A	7612207346701	100 m	28	XG-19X028-A	7612207347340	48 m
28	XG-09X028-A	7612207346176	98 m	28	XG-13X028-A	7612207346756	82 m	35	XG-19X035-A	7612207347388	36 m
35	XG-09X035-A	7612207397697	76 m	35	XG-13X035-A	7612207346800	60 m	42	XG-19X042-A	7612207347418	32 m
42	XG-09X042-A	7612207346268	64 m	42	XG-13X042-A	7612207346831	50 m	48	XG-19X048-A	7612207347449	28 m
48	XG-09X048-A	7612207346299	54 m	48	XG-13X048-A	7612207346862	42 m	54	XG-19X054-A	7612207347470	24 m
54	XG-09X054-A	7612207346329	52 m	54	XG-13X054-A	7612207346893	38 m	60	XG-19X060-A	7612207347500	24 m
60	XG-09X060-A	7612207346350	48 m	60	XG-13X060-A	7612207346923	32 m	76	XG-19X076-A	7612207347555	18 m
-	-	-	-	76	XG-13X076-A	7612207346978	28 m	89	XG-19X089-A	7612207347593	16 m
-	-	-	-	89	XG-13X089-A	7612207347012	20 m	-	-	-	-

Tube – self-seal. Length 2,0 m, Color black

25 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]
18	XG-25X018-A	7612207347739	40 m
22	XG-25X022-A	7612207347760	40 m
28	XG-25X028-A	7612207347791	36 m
35	XG-25X035-A	7612207347845	24 m
42	XG-25X042-A	7612207351194	24 m
48	XG-25X048-A	7612207351200	20 m

Tube – self-seal. Length 2,0 m, Color black

25 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]
54	XG-25X054-A	7612207351217	18 m
60	XG-25X060-A	7612207347920	18 m
76	XG-25X076-A	7612207347968	12 m
89	XG-25X089-A	7612207347982	12 m

Tube – slit. Black

13 mm				19 mm				25 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
6	XG-13X006-SLT	7612207453003	200 m	22	XG-19X022-SLT	7612207370171	56 m	35	XG-25X035-SLT	7612207370232	24 m
-	-	-	-	28	XG-19X028-SLT	7612207370188	48 m	42	XG-25X042-SLT	7612207372564	24 m
-	-	-	-	35	XG-19X035-SLT	7612207370195	36 m	48	XG-25X048-SLT	7612207373400	20 m
-	-	-	-	42	§§ XG-19X042-SLT	7612207377040	32 m	60	XG-25X060-SLT	7612207470109	18 m

Tube – slit. Black

32 mm				40 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
20	XG-32X020-SLT	7612207469318	24 m	28	XG-40X028-SLT	7612207389722	18 m
42	XG-32X042-SLT	7612207470116	18 m	35	XG-40X035-SLT	7612207469301	16 m
48	XG-32X048-SLT	7612207470093	18 m	54	XG-40X054-SLT	7612207469325	10 m
160	XG-32X160-SLT	7612207399929	4 m	64	XG-40X064-SLT	7612207497441	10 m
-	-	-	-	76	XG-40X076-SLT	7612207459906	8 m
-	-	-	-	114	XG-40X114-SLT	7612207497458	6 m
-	-	-	-	125	XG-40X125-I-SLT	7612207497465	4 m
-	-	-	-	160	XG-40X160-I-SLT	7612207390261	4 m

Tube – top-seal. Black

9 mm				13 mm				19 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
15	XG-09X015-TS	7612207346022	200 m	12	XG-13X012-TS	7612207397802	162 m	12	XG-19X012-TS	7612207347203	84 m
18	XG-09X018-TS	7612207397789	166 m	15	XG-13X015-TS	7612207397840	122 m	15	XG-19X015-TS	7612207347227	72 m
22	XG-09X022-TS	7612207346121	140 m	18	XG-13X018-TS	7612207397895	104 m	18	XG-19X018-TS	7612207347258	60 m
28	XG-09X028-TS	7612207346183	98 m	22	XG-13X022-TS	7612207346718	100 m	22	XG-19X022-TS	7612207347302	56 m
35	XG-09X035-TS	7612207397796	76 m	28	XG-13X028-TS	7612207346763	82 m	28	XG-19X028-TS	7612207347357	48 m

Tube – top-seal. Black

9 mm				13 mm				19 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
42	XG-09X042-TS	7612207346275	64 m	35	XG-13X035-TS	7612207346817	60 m	35	XG-19X035-TS	7612207347395	36 m
48	XG-09X048-TS	7612207346305	54 m	42	XG-13X042-TS	7612207346848	50 m	42	XG-19X042-TS	7612207347425	32 m
54	XG-09X054-TS	7612207346336	52 m	48	XG-13X048-TS	7612207346879	42 m	48	XG-19X048-TS	7612207347456	28 m
60	XG-09X060-TS	7612207346367	48 m	54	XG-13X054-TS	7612207346909	38 m	54	XG-19X054-TS	7612207347487	24 m
-	-	-	-	60	XG-13X060-TS	7612207346930	32 m	60	XG-19X060-TS	7612207347517	24 m
-	-	-	-	64	XG-13X064-TS	7612207400908	30 m	64	XG-19X064-TS	7612207351088	20 m
-	-	-	-	76	XG-13X076-TS	7612207346985	28 m	76	XG-19X076-TS	7612207347562	18 m
-	-	-	-	89	XG-13X089-TS	7612207347029	20 m	89	XG-19X089-TS	7612207347609	16 m

Tube – top-seal. Black

25 mm				32 mm				32 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
18	XG-25X018-TS	7612207368222	40 m	18	XG-32X018-TS	7612207400915	32 m	35	XG-40X035-TS	7612207483093	16 m
22	XG-25X022-TS	7612207351149	40 m	22	XG-32X022-TS	7612207368239	24 m	42	XG-40X042-TS	7612207483109	12 m
28	XG-25X028-TS	7612207351163	36 m	28	XG-32X028-TS	7612207368246	24 m	48	XG-40X048-TS	7612207483086	12 m
35	XG-25X035-TS	7612207347852	24 m	35	XG-32X035-TS	7612207348101	18 m	-	-	-	-
42	XG-25X042-TS	7612207347876	24 m	42	XG-32X042-TS	7612207348125	18 m	-	-	-	-
48	XG-25X048-TS	7612207347890	20 m	48	XG-32X048-TS	7612207348149	18 m	-	-	-	-
54	XG-25X054-TS	7612207351224	18 m	54	XG-32X054-TS	7612207348163	12 m	-	-	-	-
60	XG-25X060-TS	7612207347937	18 m	60	XG-32X060-TS	7612207348187	10 m	-	-	-	-
64	XG-25X064-TS	7612207375909	16 m	64	XG-32X064-TS	7612207375985	10 m	-	-	-	-
76	XG-25X076-TS	7612207375961	12 m	76	XG-32X076-TS	7612207375930	10 m	-	-	-	-
89	XG-25X089-TS	7612207375978	12 m	89	XG-32X089-TS	7612207375954	10 m	-	-	-	-
-	-	-	-	114	XG-32X114-TS	7612207459678	8 m	-	-	-	-

Tube – lap seal. Black

Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
15	XG-19X015-LS	7612207363050	72 m	15	XG-25X015-LS	7612207363197	48 m	18	XG-32X018-LS	7612207363326	

Tube – lap seal. Black

Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
18	XG-19X018-LS	7612207363067	60 m	18	XG-25X018-LS	7612207363203	40 m	22	XG-32X022-LS	7612207363333	24 m
22	XG-19X022-LS	7612207363074	56 m	22	XG-25X022-LS	7612207363210	40 m	28	XG-32X028-LS	7612207363340	24 m
28	XG-19X028-LS	7612207363081	48 m	28	XG-25X028-LS	7612207363227	36 m	35	XG-32X035-LS	7612207363357	18 m
35	XG-19X035-LS	7612207363104	36 m	35	XG-25X035-LS	7612207363234	24 m	42	XG-32X042-LS	7612207363364	18 m
42	XG-19X042-LS	7612207363111	32 m	42	XG-25X042-LS	7612207363241	24 m	48	XG-32X048-LS	7612207363371	18 m
48	XG-19X048-LS	7612207363128	28 m	48	XG-25X048-LS	7612207363258	20 m	54	XG-32X054-LS	7612207363388	12 m
54	XG-19X054-LS	7612207363135	24 m	54	XG-25X054-LS	7612207363265	18 m	60	XG-32X060-LS	7612207363395	10 m
60	XG-19X060-LS	7612207363142	24 m	60	XG-25X060-LS	7612207363272	18 m	64	XG-32X064-LS	7612207363401	10 m
76	XG-19X076-LS	7612207363166	18 m	64	XG-25X064-LS	7612207363289	16 m	76	XG-32X076-LS	7612207363418	10 m
89	XG-19X089-LS	7612207363173	16 m	76	XG-25X076-LS	7612207363296	12 m	89	XG-32X089-LS	7612207363425	10 m
114	XG-19X114-LS	7612207363180	14 m	-	-	-	-	114	XG-32X114-LS	7612207363456	8 m

Tube – lap seal. Black

Pipe Ø [mm]	Item	EAN	Primary content [metric]
28	XG-40X028-LS	7612207363463	18 m
35	XG-40X035-LS	7612207363470	16 m
42	XG-40X042-LS	7612207363487	12 m
48	XG-40X048-LS	7612207363494	12 m
54	XG-40X054-LS	7612207363500	10 m
60	XG-40X060-LS	7612207363517	10 m
64	XG-40X064-LS	7612207363524	10 m
76	XG-40X076-LS	7612207363531	8 m
89	XG-40X089-LS	7612207363548	6 m

Coil. Black

6 mm				9 mm				13 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
6	XG-06X006/E	7612207345711	95 m	6	XG-09X006/E	7612207345902	70 m	6	XG-13X006/E	7612207346503	45 m
8	XG-06X008/E	7612207345735	85 m	8	XG-09X008/E	7612207345926	60 m	10	XG-13X010/E	7612207346541	35 m
10	XG-06X010/E	7612207345759	75 m	10	XG-09X010/E	7612207345940	50 m	12	XG-13X012/E	7612207346565	32 m
12	XG-06X012/E	7612207345773	65 m	12	XG-09X012/E	7612207345964	45 m	15	XG-13X015/E	7612207397826	28 m
15	XG-06X015/E	7612207345797	55 m	15	XG-09X015/E	7612207346008	40 m	18	XG-13X018/E	7612207397888	27 m

Coil. Black

6 mm				9 mm				13 mm			
Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]	Pipe Ø [mm]	Item	EAN	Primary content [metric]
18	XG-06X018/E	7612207345810	45 m	18	XG-09X018/E	7612207346046	38 m	22	XG-13X022/E	7612207346695	26 m
22	XG-06X022/E	7612207345834	40 m	22	XG-09X022/E	7612207346107	30 m	28	XG-13X028/E	7612207346749	20 m
28	XG-06X028/E	7612207345858	30 m	28	XG-09X028/E	7612207346169	26 m	-	-	-	-

Roll - standard. Black

Item	Insulation thickness [mm]	Length [m]	EAN	Primary content [metric]
XG-06-99/E	6	15	7612207345872	15 m ²
XG-09-99/E	9	10	7612207346473	10 m ²
XG-13-99/E	13	8	7612207347104	8 m ²
XG-19-99/E	19	6	7612207347692	6 m ²
XG-25-99/E	25	4	7612207348040	4 m ²
XG-32-99/E	32	3	7612207348293	3 m ²
XG-40-99/E	40	7	7612207348453	7 m ²

Roll - standard self-adhesive. Black

Item	Insulation thickness [mm]	Length [m]	EAN	Primary content [metric]
XG-06-99/EA	6	15	7612207345889	15 m ²
XG-09-99/EA	9	10	7612207346480	10 m ²
XG-13-99/EA	13	8	7612207347111	8 m ²
XG-19-99/EA	19	6	7612207347708	6 m ²
XG-25-99/EA	25	4	7612207348057	4 m ²
XG-32-99/EA	32	3	7612207348309	3 m ²
XG-40-99/EA	40	7	7612207348460	7 m ²

Prefabricated part – 45° elbow. Black

Pipe Ø [mm]	Item	Parts	Insulation thickness [mm]	Primary content [pieces]	Pipe Ø [mm]	Item	Parts	Insulation thickness [mm]	Primary content [pieces]
100	XG-13-100-C45I	4	13	3 piece	125	XG-19-125-C45I	4	19	3 piece
125	XG-13-125-C45I	4	13	3 piece	160	XG-19-160-C45I	4	19	3 piece
160	XG-13-160-C45I	4	13	3 piece	250	XG-19-250-C45I	4	19	3 piece
200	XG-13-200-C45I	4	13	3 piece	315	XG-19-315-C45I	4	19	3 piece
250	XG-13-200-C45I	4	13	3 piece	-	-	-	-	-
315	XG-13-315-C45I	4	13	3 piece	-	-	-	-	-

Prefabricated part – 90° elbow. Black

Pipe Ø [mm]	Item	Parts	Insulation thickness [mm]	Primary content [pieces]	Pipe Ø [mm]	Item	Parts	Insulation thickness [mm]	Primary content [pieces]
114	XG-10-114-C90L	4	10	6 piece	60	XG-13-060-C90L	3	13	10 piece
-	-	-	-	-	76	XG-13-076-C90L	4	13	8 piece

Prefabricated part – 90° elbow. Black

Pipe Ø [mm]	Item	Parts	Insulation thickness [mm]	Primary content [pieces]	Pipe Ø [mm]	Item	Parts	Insulation thickness [mm]	Primary content [pieces]
-	-	-	-	-	89	XG-13-089-C90L	4	13	5 piece
-	-	-	-	-	100	XG-13-100-C90I	4	13	5 piece
-	-	-	-	-	114	XG-13-114-C90L	4	13	5 piece
-	-	-	-	-	125	XG-13-125-C90I	4	13	5 piece
-	-	-	-	-	140	XG-13-140-C90L	4	13	3 piece
-	-	-	-	-	160	XG-13-160-C90I	4	13	5 piece
-	-	-	-	-	169	XG-13-169-C90L	4	13	3 piece
-	-	-	-	-	200	XG-13-200-C90I	4	13	4 piece
-	-	-	-	-	219	XG-13-219-C90L	4	13	3 piece
-	-	-	-	-	250	XG-13-250-C90I	4	13	6 piece
-	-	-	-	-	315	XG-13-315-C90I	4	13	3 piece

Prefabricated part – 90° elbow. Black

Pipe Ø [mm]	Item	Parts	Insulation thickness [mm]	Primary content [pieces]
60	XG-19-060-C90L	4	19	6 piece
76	XG-19-076-C90L	4	19	5 piece
89	XG-19-089-C90L	4	19	3 piece
100	XG-19-100-C90I	4	19	3 piece
114	XG-19-114-C90L	4	19	3 piece
125	XG-19-125-C90I	4	19	3 piece
140	XG-19-140-C90L	4	19	3 piece
160	XG-19-160-C90I	4	19	3 piece
169	XG-19-169-C90L	4	19	3 piece
200	XG-19-200-C90I	4	19	3 piece
219	XG-19-219-C90L	4	19	3 piece
250	XG-19-250-C90I	4	19	3 piece
315	XG-19-315-C90I	4	19	2 piece

Tape – self-adhesive. Black

Item	Thickness [mm]	Width [mm]	Length [m]	EAN	Primary content [pieces]
TS-TAPE-35	0.11	35	25	7612207399561	9 roll

Tape – insulation. Black

Item	Thickness [mm]	Width [mm]	Length [m]	EAN	Primary content [pieces]
XG-TAPE	3	50	15	7612207345698	12 roll

OUR CUSTOMERS EXPECT THE BEST. WE WORK HARD TO GO BEYOND THAT AND EXCEED THEIR EXPECTATIONS.

At Armacell we want to create a unique customer experience. We understand the challenges of today's construction industry and support you in the successful delivery of your projects. From planning to delivery, our 360° service supports you throughout the entire process.



SERVICE AND TECHNICAL INFORMATION AVAILABLE 24/7

At Armacell, we do everything we can to ensure your project runs smoothly. This is why the information about the Armacell services you benefit from is available 24/7 from Armacell.com website as well as from our planning tools (BIM, specification documents, ArmaWin, as well as our sustainable building policy)

DEDICATED LOCAL CONTACTS

We aim to create open lines of communication with our customers. From on-site trainings and webinars by our Armacell technical experts advising on project planning and safety instructions to our local dedicated sales and customer services, your local Armacell dedicated team is working in partnership with you to achieve more together.

DIGITAL INFORMATION FLOWS

From order to delivery, we also provide you with digital information flows such as EDI and other well-known data formats that are widely used in the construction sector worldwide.



OUR STANDARD LOGISTICS SERVICES INCLUDE

- // Material ordered will be shipped from our facilities within 48 hours after order confirmation
- // Full truck loads and full pallets (not mixed – 1 SKU per pallet)
- // List prices in this document are based on Ex Works
- // Container loading with standard goods
- // Customs clearance (including documentation) for standard deliveries outside EU
- // Dangerous goods process for road freight

WE GO BEYOND STANDARD SERVICES AND ALSO PROPOSE YOU ADDITIONAL SERVICES*

OPIMISED PACKAGING

- Edge protection
- Strapping
- Doubled stretching
- Reinforced cardboard with extra layer
- Additional warning tape

LABELLING

- Extra label for transport instructions

EXTRA DELIVERY SERVICES

- Just in time delivery
- Delivery with lifting platform for partial or complete load
- Express and direct shipments
- Booking a delivery time slot via your EDP system
- Forklift truck for unloading at construction site
- Air and sea freight deliveries
- Dangerous goods shipment process for air and sea freight



To mitigate cost increases and reduce waste generation, we also propose a pallet return service* by which pallets can be handed at Armacell collection points.

* Please contact your local Customer Service Centre to see which of these services apply to your country.

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute nor is part of a legal offer to sell or to contract.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our Data Protection Policy.

© Armacell, 2022. All rights reserved. Trademarks followed by ® or ™ are trademarks of the Armacell Group.

Microban is a registered trademark of Microban Products Company.

ArmaFlex | ArmaFlex XG | Brochure | 012023 | en-IN

ABOUT ARMACELL

As the inventors of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal, acoustic and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency, making a difference around the world every day. With more than 3200 employees and 27 production plants in 19 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for high-tech and lightweight applications and next generation aerogel blanket technology.

For more information, please visit:
www.armacell.com

